

工

建

工 PS 工

建

工 186,401.26 元

建

建

审

单 IV


PS	工	升名	工	基	(%)		
()		.	+ 工+			91162.02	含
1.1		-	工	工		68313.16	
1.2		-				16709.09	
1.3		-				6139.77	
1.4		-	主				
1.5		-					
()		.	+ 可	工		10042.04	
2.1		+	+ 工+				含
2.2.1			工				
2.2.2							
2.2.3							
2.2.4							
2.2.5							
2.2		、	+ 季 + 工 夜 工、 + 交 区			10042.04	
2.2.1	季		工		5.91	4037.31	
2.2.2			工		2.28	1557.54	
2.2.3			工		2.4	1639.52	
2.2.4	、 、		工		4.11	2807.67	
2.2.5			工		0		
()			工		52.28	35714.12	
()			工		28.5		
()						4219.78	
()		+	安全 工 + 工 + 保			6697.32	
6.1							

建

安

工

工 安 建



单

11

PS

升 件 工

:

1

2

	及						
、	工 别				68360.62		68360.62
1	安 工		473.3866	78	36924.15	78	36924.15
2	下 安 工		134.7492	98	13205.42	98	13205.42
3	工		18231.045	1	18231.05	1	18231.05
、	别						
、	别				16708.4		20618.36
1		kg	73.2	3.24	237.17	3.24	237.17
2	<3mm δ	kg	98.88	3.38	334.21	3.38	334.21
3	型	kg	7.068	3.21	22.69	3.21	22.69
4	<2.5mm δ	kg	5.85	4.34	25.39	4.34	25.39
5	4.5mm	m3	1.4136	0.78	1.1	0.78	1.1
6		m3	0.0381	1560.8	59.47	1560.8	59.47
7	200*250*2500mm	m3	0.171	1683.2	287.83	1683.2	287.83
8	135*120*1200mm	m3	0.0283	1114.8	31.55	1114.8	31.55
9	8-12# 丝	kg	2.8	3.26	9.13	3.26	9.13
10	14-22# 丝	kg	9.6	3.43	32.93	3.43	32.93
11	8-12# 丝	kg	16.9632	5.75	97.54	5.75	97.54
12	1.6-2.6mm	kg	0.15	4.8	0.72	4.8	0.72
13	垫	kg	60	3.43	205.8	3.43	205.8
14	0-3# 垫1-8#	kg	128.49	4.8	616.75	4.8	616.75
15			36	0.86	30.96	0.86	30.96
16	T42-2	kg	44.7	4.72	210.98	4.72	210.98
17	90#	L	13.8	4.97	68.59	4.97	68.59
18		kg	52.62	3.6	189.43	3.6	189.43
19		kg	14.9	7.82	116.52	7.82	116.52
20	基	kg	23.75	11.92	283.1	11.92	283.1
21	()	kg	3.2	8.58	27.46	8.58	27.46
22		kg	2.4	12.18	29.23	12.18	29.23
23		kg	0.9	9.69	8.72	9.69	8.72
24		kg	0.15	11.83	1.77	11.83	1.77
25		m3	49.17	3.09	151.94	3.09	151.94
	乙	m3	16.41	24.01	394	24.01	394
27	0-3#		24.8	0.81	20.09	0.81	20.09
28		kg	41.95	4.75	199.26	4.75	199.26
29	头	kg	6.9	7.13	49.2	7.13	49.2
30			1.4136	1.85	2.62	1.85	2.62
31	其		86.0706	1	86.07	1	86.07
						1	

